

2320005035

65" LED TV with STB

65" LED TV w/ integrated STB and combined remote



DESCRIPTION

- 65" / 164 cm LED TV
- STB smartbox mounted on back side and powered from TV set
- Full HD
- One remote controller for TV and STB smart box

SPECIFICATIONS

SPECIFICATION

| | |
|---------------------------------|-------------------------------|
| Display Diagonal | 65" / 164 cm LED - Display |
| Wide-screen format | Yes |
| Peak Luminance Ratio | 65% |
| Dynamic contrast | Dinamic Contrast Plus |
| Picture Perfection rate | 600Hz |
| Display resolution | 1920x1080 pixels |
| HD type | FullHD |
| Vertical viewing angle | 178° |
| Horizontal viewing angle | 178° |
| Motion interpolation technology | PPR (Picture Perfection Rate) |
| Video | 1080p |

Created: 01.09.2015, updated: 09.06.2017

page 1/3

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend. Zenitel - All rights reserved.

SPECIFICATION

| | |
|---------------|---|
| Aspect ratios | Auto (WSS), 4:3 / 16:9 / 14:9 / Letterbox / Subtitle / Panorama |
|---------------|---|

TV TUNER

| | |
|------------------------------|-----------------------------------|
| Auto channel search feature | Yes |
| Number of channels | 1000 (DVB-C and T), 6000 (DVB-S2) |
| Digital signal format system | DVB-C, DVB-T, DVB-S2 |
| Tuner | Analogue & Digital |

AUDIO

| | |
|------------------|---------------------------------------|
| Audio Amplifier | 2 x 15/30 W nominal/music power (R/L) |
| Built-in speaker | 2 wide band at the front side |
| AVL | Yes |
| Equalizer | Yes |
| Dolby Digital | Yes |
| DTS | Yes |

PORTS & INTERFACES

| | |
|-----------------------|-----------|
| USB | 2 |
| USB 3.0 | 1 |
| HDMI (TV) | 4 |
| PC Input | VGA |
| PC Audio In | Yes |
| S-Video (TV) | Via Scart |
| Digital Audio out | Optical |
| Headphones | 1 |
| Scart | 1 |
| Common Interface Plus | 2x CI+ |
| Ethernet | Yes |

PERFORMANCE

| | |
|----------------------------|---|
| USB playback and recording | Yes (twin mode recording) |
| Supported formats | .m4a, .aac, .png, .mov, divx, .mpg, .mpe, .vob, .dat, .trp, .ts, .avi, .mp4, .mkv, .div |
| Image format | .bmp, .jpg, .png |
| Teletext function | Yes |
| Parental control | Yes |
| Electronic program guide | Yes |
| Subtitle format | SRT, SSA, ASS, SMI, Video SUB |
| DLNA | Yes |

ERGONOMICS

| | |
|-------------------------|--------------|
| Wall mountable | Yes |
| VESA mounting interface | 400 x 400 mm |
| VESA mounting | Yes |

POWER

| | |
|---------------------------|--|
| Voltage | 220-240 Volts(110V available on request) |
| Frequency (Hz) | 50-60 |
| Standby power consumption | < 0,5 W |
| Nominal Power Consumption | 151 W |
| Maximum Power Consumption | 175 W |
| Energy efficiency class | A |
| Annual energy consumption | 220 kWh |

WEIGHT & DIMENSIONS

| | |
|----------------------------------|------------------------|
| Weight | 25 kg |
| Dimensions with stand (HxWxD) | 893,3 x 1458,6 x 96 mm |
| Dimensions without stand (HxWxD) | 848,6 x 1458,6 x 70 mm |

PACKAGING CONTENT

| | |
|-------------------------|-----|
| Desktop stand | Yes |
| Cable included | AC |
| Handheld remote control | Yes |

ACCESSORIES



BT8432/B

Item Number: 2320005060

RII MINI 12 KEYBOARD

Item Number: 2320005042

K400 PLUS KEYBOARD

Item Number: 2320005041