

## 3006090578

## **MBOKS-G**

VSP Batteryless Telephone System



On-wall box with rubber gasket designed for stations in VSP systems

## DESCRIPTION

The new and improved on wall box with rubber gasket designed for use with VSP stations to offer IP-44 rating.

Created: 30.10.2020, updated: 16.12.2020

page 1/4



#### GENERAL

Color	Black
Material	Epoxy covered metal
Dimensions (WXHXD)	244 x 136 x 76 mm
Weight	1.0 kg
Mounting hole	Ø 5.5 mm
IP-rating	IP-44 (Together with VSP telephone)

Created: 30.10.2020, updated: 16.12.2020


page 2/4


www.zenitel.com


info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

#### **TECHNICAL DIMENSIONS**







#### **USED WITH**





## 1020600931

**VSP-211-L** 

Main Station - Batteryless Telephone System - 12-Way

### 1020600935

VSP-213-L

Main Station - Batteryless Telephone System - 12-Way

1020600943 VSP-223-L

Created: 30.10.2020, updated: 16.12.2020

page 3/4









# 3006200025 VSP-211M-L

Main Station - Batteryless Telephone System 20-Way

3006200028 VSP-212M-L

Main Station Panel Mounted with Relay 20-Way

3006200029 VSP-213M-L

Main Station - Batteryless Telephone System - 20-Way