


# 1020600771

### VSP-36-PEL-A

Headset with boom mic, headband, and 10m cable



- Headset for connecting directly to a VSP station
- ON / OFF switchbox w/ belt clip
- Excellent noise performance
- High attenuating ear shells
- Standard with 10 meter cable

#### DESCRIPTION

The VSP-36-PEL-A headset brings hearing protection and communication in noisy environments into a new level of performance with newly designed speakers and microphone.

The dual cup give a modern and slim look and is specially designed to provide excellent noice attenuation.


#### Applications

The VSP-36-PEL-A headset can enhance communication in noisy environments and other workplaces, where the workers need to be connected to their 2-way handheld or fixed systems throughout the day to help facilitate frequent contacts with co-workers.

#### Created: 08.10.2020, updated: 16.12.2020

#### www.zenitel.com info@zenitel.com

Zeritel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zeritel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zeritel reserves the right to modify designs and alter specifications without notice.



#### GENERAL


| Termination              | Flying leads/ferrules, prepared for screw terminals                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Microphone               | 20,5 mm. dynamic noise cancelling, 240 Ohm+- 30 %, sensitivity -57 dB+-3 dB, 0 dB=1v/pa at 1kHz, frequency response: 50Hz-6KHz. |
| Earphone/Speakers        | 27 mm. diameter, 150 Ohm+-15 %, SPL 124dB, at 600-1200Hz with input 15mW. Parallell connection                                  |
| Temperature              | -40 to +60 degrees C                                                                                                            |
| Storage Humidity         | < 90%                                                                                                                           |
| Protection               | IP-54 (When worn)                                                                                                               |
| Attenuation rating (HML) | H=32 dB / M=28 dB / L=20                                                                                                        |
| Attenuation rating (SNR) | 30 dB                                                                                                                           |
| CE Certificate no.       | 12151RHS01                                                                                                                      |
| Dimension (HxD)          | Approximately 250 x 150 mm. (adjustable).                                                                                       |
| Weight                   | 0.4 kg                                                                                                                          |
| Colour                   | Black/Yellow                                                                                                                    |
| Manufacturer             | Zenitel (A-kabel)                                                                                                               |
| Cable                    | 10m                                                                                                                             |
|                          |                                                                                                                                 |

#### Created: 08.10.2020, updated: 16.12.2020

#### info@zenitel.com

www.zenitel.com Zeritel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zeritel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zeritel reserves the right to modify designs and alter specifications without notice.

#### **TECHNICAL DIMENSIONS**



#### ACCESSORIES



HYGIENE KIT FOR HEADSET Item Number: AK6501



SPARE SWITCHBOX W/CABLE FOR VSP-36-PEL-A Item Number: 3006600058

#### USED WITH

1020600931

#### Created: 08.10.2020, updated: 16.12.2020

info@zenitel.com

www.zenitel.com Zeritel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zeritel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zeritel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend. Zenitel – All rights reserved.



SPARE BOOM MICROPHONE FOR HEADSET Item Number: AK6070



HEADSET STOWAGE BRACKET Item Number: 3006090494

page 3/5

**VSP-211-L** 

Main Station - Batteryless Telephone System - 12-Way

## 1020600935

**VSP-213-L** 

Main Station - Batteryless Telephone System - 12-Way

1020600943

VSP-223-L Main Station - Batteryless Telephone System - 12-Way

> 3006200025 VSP-211M-L

Main Station - Batteryless Telephone System 20-Way

3006200028 VSP-212M-L Main Station Panel Mounted with Relay 20-Way

page 4/5

3006200029 VSP-213M-L

### Created: 08.10.2020, updated: 16.12.2020

www.zenitel.com

info@zenitel.com Zeritel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zeritel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zeritel reserves the right to modify designs and alter specifications without notice.









Main Station - Batteryless Telephone System - 20-Way



#### Created: 08.10.2020, updated: 16.12.2020

www.zenitel.com info@zenitel.com Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.