

1020600773

VSP-36-PELP-A

Headset with boom mic, headband, and 10m cable



- To be used together with CD-4 in noisy areas
- ON / OFF switchbox w/ belt clip
- Excellent noise performance
- High attenuating ear shells
- Standard with 10 meter cable

DESCRIPTION


The VSP-36-PELP-A headset brings hearing protection and communication in noisy environments into a new level of performance with newly designed speakers and microphone.

The dual cup give a modern and slim look and is specially designed to provide excellent noise attenuation.

Applications

The VSP-36-PELP-A headset can enhance communication in noisy environments and other workplaces, where the workers need to be connected to their 2-way handheld or fixed systems throughout the day to help facilitate frequent contacts with co-workers.


SPECIFICATIONS



GENERAL

Termination	Conxall, CXS3106A14S2P300, 4 pin (Plug box CD-4)
Microphone	20,5 mm. dynamic noise cancelling, 240 Ohm+ 30 %, sensitivity -57 dB+3 dB, 0 dB=1v/pa at 1kHz, frequency response: 50Hz-6KHz.
Earphone/Speakers	27 mm. diameter, 150 Ohm+15 %, SPL 124dB, at 600-1200Hz with input 15mW. Parallell connection
Temperature	-40 to +60 degrees C
Storage Humidity	< 90%
Protection	IP-54 (When worn)
Attenuation rating (HML)	H=32 dB / M=28 dB / L=20
Attenuation rating (SNR)	30 dB
CE Certificate no.	12151RHS01
Dimension (HxD)	Approximately 250 x 150 mm. (adjustable).
Weight	0.4 kg
Colour	Black/Yellow
Manufacturer	Zenitel (A-kabel)
Cable	10m

TECHNICAL DIMENSIONS



ACCESSORIES



HYGIENE KIT FOR HEADSET

Item Number: AK6501



SPARE BOOM MICROPHONE FOR HEADSET

Item Number: AK6070



HEADSET STOWAGE BRACKET

Item Number: 3006090494



SPARE SWITCHBOX W/CABLE FORVSP-36-PELP-A

Item Number: 3006600060

USED WITH

Created: 15.09.2020, updated: 16.12.2020

page 3/5

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend. Zenitel - All rights reserved.



1020600931

VSP-211-L

Main Station - Batteryless Telephone System - 12-Way



1020600935

VSP-213-L

Main Station - Batteryless Telephone System - 12-Way



1020600943

VSP-223-L

Main Station - Batteryless Telephone System - 12-Way



3006200025

VSP-211M-L

Main Station - Batteryless Telephone System 20-Way



3006200028

VSP-212M-L

Main Station Panel Mounted with Relay 20-Way

3006200029

VSP-213M-L



1020159000

CD-4

Plugbox Waterproof