1008140010

TA-1

Turbine Compact Onwall Back Box

Back Box for on-wall mounting of all Turbine Compact Stations


IP66   IK10

Description

Back Box for on-wall mounting of all Turbine Compact Stations

Technical Dimensions

www.zenitel.com   info@zenitel.com

Cable grommets M20

150 [5,90]
180 [7,09]

76 [3,00]
120 [4,72]

25 [1,00]

167 [7,00]

94 [3,70]
167 [6,57]

Footprint

4 Mounting holes
Ø6,5

150 [5,90]
76 [3,00]

62,5 [2,46]
66 [2,61]

Cable gland M20
Ø20 Ø16
Cable grommets M16

94 [3,70]

Parts included in the package

Cable gland M20 IP68 (1pcs)

M5 x 30mm screw torx head for mounting the Turbine station (4pcs)

Nylon washers for protection against corresive effects (4pcs) They shoud be placed at the bottom of the mounting holes

Nut for Cable gland M20 (1pcs)

Cable GrommetS M20 IP67 (2pcs)

Cable Grommets M16 IP67 (1pcs)

Specifications

MECHANICAL

Size (WxHxD): 120 x 180 x 62mm	Wt: 0.8kg
Ingress protection rating	IP-66, tested according to EN 60529
Impact protection rating	IK 10, tested according to EN 62262
Material	Aluminum alloy - A413.0, AlSi12Fe, painted
Finish	Grey RAL 9007. Custom colors possible*
	*Please contact our local sales office for details.

Used With

TCIS-1

IP and SIP Intercom

TCIS-2

IP and SIP Intercom

TCIS-3

IP and SIP Intercom

TCIS-4

IP and SIP Intercom

www.zenitel.com   info@zenitel.com

TCIS-5

IP and SIP Intercom

TCIS-6

IP and SIP Intercom

TCIV-2+

IP and SIP Video Intercom

TCIV-3+

IP and SIP Video Intercom

TCIV-5+

IP and SIP Video Intercom

TCIV-6+

IP and SIP Video Intercom

TCIA-2

Analog over IP Intercom

www.zenitel.com   info@zenitel.com